


# LISTING OF THE CLAIMS

1. (currently amended) A gradient copolymer comprising at least two different monomer units,
  - a) the first ( $M_1$ ), the homopolymer of which corresponding to a  $T_{g1}$  of less than  $20^{\circ}\text{C}$ , representing at least 50% by weight of the total weight of the copolymer,
  - b) the second ( $M_2$ ), the homopolymer of which corresponding to a  $T_{g2}$  of greater than  $20^{\circ}\text{C}$  representing at most 50% by weight of the total weight of the copolymer,
 at least one of the monomers of the copolymer being hydrophilic and representing at least 5% by weight of the total weight of the copolymer,



said gradient copolymer comprising at least one monomer  $M_i$  such that the probability of encountering  $M_i$  in any standardized position  $x$  situated on the polymer chain is nonzero; and wherein said gradient copolymer is soluble or dispersible in both water and in organic solvents at a concentration greater than or equal to 5%, and wherein said copolymer has number average and-weight average masses of between 5000 g/mol and 1 000 000 g/mol and a polydispersity index of between 1.1 and 2.5, said copolymer further comprising nitroxide residue units, ~~wherein said hydrophilic monomer is selected from the group consisting of ethylenic carboxylic acids, acrylic acid, methacrylic acid, itaconic acid fumaric acid; and acrylates and methacrylates of polyethylene glycol or of glycol which are or are not substituted on their end functional group by alkyl, phosphate, phosphonate or sulfonate groups; wherein the monomer  $M_1$  is selected from the group of monomers consisting of: linear or branched  $C_{1-12}$  alkyl acrylates, polyethylene glycol acrylate, polyethylene glycol (meth)acrylate, dienes, butadiene and isoprene; and wherein  $M_2$  is selected from one or more monomers selected from the group consisting of styrene, styrene derivatives, (meth)acrylic monomers, norbornyl acrylate, methyl methacrylate, acrylonitrile and methacrylonitrile; and wherein the hydrophilic monomer(s) in the copolymer, if from group  $M_1$  is selected from the group consisting of polyethylene glycol acrylate and polyethylene glycol methacrylate, and if the hydrophilic monomer is from  $M_2$  it is selected from the group consisting of acrylic acid and methacrylic acid.~~

wherein said hydrophilic monomer is selected from the group consisting of ethylenic carboxylic acids, acrylic acid, methacrylic acid, itaconic acid fumaric acid; and acrylates and methacrylates of polyethylene glycol or of glycol which are or are not substituted on their end functional group by alkyl, phosphate, phosphonate or sulfonate groups;

2. (previously presented) The copolymer as claimed in claim 1, wherein  $Tg_1$  is between  $-150$  and  $20^{\circ}\text{C}$ .
3. (canceled)
4. (previously presented) The copolymer as claimed in claim 1, wherein the hydrophilic monomer represents at least 10% by weight of the total weight of the copolymer.
5. (cancelled)
6. (cancelled)
7. (currently amended) A process for producing the gradient copolymer of claim 1 comprising polymerizing by solution or bulk controlled radical polymerization, at a temperature of between  $10$  and  $160^{\circ}\text{C}$ , in the presence of a radical polymerization initiator and of an agent for controlling the polymerization, a mixture of monomers comprising at least two monomers, the first ( $M_1$ ), the homopolymer of which corresponding to a  $Tg_1$  of less than  $20^{\circ}\text{C}$ , representing at least 50% by weight of the total weight of the mixture, the second ( $M_2$ ), the homopolymer of which corresponding to a  $Tg_2$  of greater than  $20^{\circ}\text{C}$ , representing at most 50% by weight of the total weight of the mixture, at least one of the monomers having to be hydrophilic and represent at least 5% by weight of the total weight of the mixture, wherein the agent for controlling the polymerization is a nitroxide of general formula:



- where R' and R, which are identical or different and which are optionally connected so as to form a ring, are alkyl groups having between 1 and 40 carbon atoms which are optionally substituted by hydroxyl, alkoxy or amino groups;
  - and where R<sub>L</sub> is a monovalent group with a molar mass of greater than 16 g/mol which can be a phosphorus group or an aromatic group, wherein said hydrophilic monomer is selected from the group consisting of ethylenic carboxylic acids, acrylic acid, methacrylic acid, itaconic acid, fumaric acid, and acrylates and methacrylates of polyethylene glycol or of glycol which are or are not substituted on their end functional group by alkyl, phosphate, phosphonate or sulfonate groups; wherein the monomer M<sub>1</sub> is selected from the group of monomers consisting of: linear or branched C<sub>1</sub>-C<sub>12</sub> alkyl acrylates, polyethylene glycol acrylate, polyethylene glycol (meth)acrylate, dienes, butadiene and isoprene; and wherein M<sub>2</sub> is selected from one or more monomers selected from the group consisting of styrene, styrene derivatives, (meth)acrylic monomers, norbornyl acrylate, methyl methacrylate, acrylonitrile and methacrylonitrile; and wherein the hydrophilic monomer(s) in the copolymer, if from group M<sub>1</sub> is selected from the group consisting of polyethylene glycol acrylate and polyethylene glycol methacrylate, and if the hydrophilic monomer is from M<sub>2</sub> it is selected from the group consisting of acrylic acid and methacrylic acid.
8. (cancelled)
  9. (previously presented) The process as claimed in claim 7, wherein the polymerization initiator and the control agent are replaced by a mixture composed of alkoxyamine corresponding to the following general formula (II) and of nitroxide corresponding to the general formula (I):



in which:

- n is an integer of less than or equal to 8 and preferably of between 1 and 3,
- Z is a carrying monovalent or polyvalent radical of styryl, acryloyl or methacryloyl type,
- where R' and R, which are identical or different and which are optionally connected so as to form a ring, are alkyl groups having between 1 and 40 carbon atoms which are optionally substituted by hydroxyl, alkoxy or amino groups;
- and where R<sub>L</sub> is a monovalent group with a molar mass of greater than 16 g/mol which can be a phosphorus group or an aromatic group,

the nitroxide (I) representing from 0 to 20% by weight of the total weight of the mixture.

10. (previously presented) The process as claimed in claim 7 wherein, R<sub>L</sub> is a phosphonate group of formula:



- where R'' and R''', which are identical or different and which are optionally connected so as to form a ring, are alkyl groups having between 1 and 40 carbon atoms which are optionally substituted by hydroxyl, alkoxy or amino groups;

the nitroxide (I) representing from 0 to 20% by weight of the total weight of the mixture.

11. (previously presented) A process for the aqueous dissolution, of the gradient copolymer of claim 1 comprising:
  - 1) dissolving the copolymer in a ketone solution, at a level of solid of between 20 and 90%,
  - 2) neutralizing the solution obtained in 1, if necessary, by addition of a molar solution either of acid or of base, the acid or base choice being conditioned by the chemical nature of the hydrophilic monomer,
  - 3) adding water, with vigorous stirring, to the solution obtained in 1 or optionally in 2 in a proportion such that the level of solid obtained is between 1 and 80%; optionally, the water can be replaced by water/alcohol mixtures in proportions ranging from 99/1 to 50/50;
  - 4) evaporating the ketone until the desired level of solid is obtained.
12. (canceled)
13. (previously presented) A paint, adhesive, glue or cosmetic formulation comprising the gradient copolymer of claim 1.
14. (canceled)
15. (canceled)
16. (canceled)
17. (previously presented) The copolymer of claim 1 wherein the second monomer ( $M_2$ ), the homopolymer of which corresponding to a  $T_{g2}$  of greater than 50°C.
18. (previously presented) The copolymer as claimed in claim 2, wherein  $T_{g1}$  is between

-120 and 15°C.

19. (previously presented) The copolymer as claimed in claim 1, exhibiting a polydispersity index of between 1.1 and 2.
20. (previously presented) The process of claim 7 wherein said controlled radical polymerization, occurs at a temperature of between 25 and 130°C.
21. (previously presented) The paint, adhesive, glue or cosmetic formulation of claim 13, wherein said formulation is an aqueous-based formulation.